



900 Series

Tilting bratt pans 900

## GAS TILTING BRATT PAN, SBG9-15 IM

1121127000

### DIMENSIONS

		Article	Packed
Length	mm	1,275.00	1,330.00
Depth	mm	900.00	1,110.00
Height	mm	850.00	1,135.00
Weight	Kg	228.00	269.00
Volume	m3	0.98	1.68

### ELECTRICITY

Electric power		KW	0.06
Voltage 230V -1+N			230v-1+N
Voltage 230V - III			NO
Voltage 400V - III+N			NO

### PLUMBING - WATER

### GAS

Power		KW	27.00
		Kcal/h	23,220.00
LPG	Consumption (kg/h)		2.09
	Pressure (g/cm2)		37.00
Natural gas	Consumption (m3/h)		2.65
	Pressure (g/cm2)		18.00

### STEAM

Not used

### AIR

Not used

Certification EQNET- CE

99AP57

GAS TILTING BRATT PAN, SBG9-15 IM

Ref. 1121127000 LPG

Ref. 1121127001 NG

Made of stainless steel

Counterweighted hinged lid.

Lid can be used as benchtop when closed.

Pan capacity: 120 litres (approx.).

Surface area: 75 dm2

Stainless steel pan, with heat diffuser bottom 10 mm. thick.

Stainless steel tubular burner controlled by solenoid valve and thermostat temperature control (50 °C to 315 °C)

Motorized tilt system.

Safety system to extinguish the flame if the pan raises.

Water feed.

Power: 27 kW or 96 mj/h.

Dimensions: 1275 x 900 x 850\* mm.

\*Supplied on height adjustable legs; total height adjusts from 850mm to 900mm

Electrical supply: 230v-1+N

UNIT NOT SUPPLIED WITH POWER CORD AND PLUG.  
THESE MUST BE INSTALLED BY A QUALIFIED ELECTRICIAN.

Connections	X	Y	Z	Diameter	Information
ELECTRICITY	1.025	764	150		
COLD WATER	1.230	575	105	1/2"	
GAS	1.230	635	105	R.3/4"G	

